

**2018 Basin Boundary Modifications - Draft Decisions**  
**November 29, 2018 (UPDATED January 14, 2019)**

Basin(s)/Subbasin(s)	Requesting Agency	Modification Type	Draft Decision	Basis for Denial	Notes
<a href="#">SANTA ROSA PLAIN</a> <a href="#">WILSON GROVE FORMATION HIGHLANDS</a>	City of Sebastopol	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">WILSON GROVE FORMATION HIGHLANDS</a> <a href="#">PETALUMA VALLEY</a>	City of Petaluma	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">WILSON GROVE FORMATION HIGHLANDS</a> <a href="#">SAND POINT AREA</a>	Marin County	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">SONOMA VALLEY</a> <a href="#">NAPA-SONOMA LOWLANDS</a>	Sonoma Valley Groundwater Sustainability Agency	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">BOLSA AREA</a> <a href="#">HOLLISTER AREA</a> <a href="#">SAN JUAN BAUTISTA AREA</a> <a href="#">TRES PINOS VALLEY</a>	San Benito County Water District	Jurisdictional Consolidation	Approve	NA	Request met regulatory criteria.
<a href="#">UPPER VALLEY AQUIFER</a> <a href="#">PASO ROBLES AREA</a>	Salinas Valley Basin Groundwater Sustainability Agency	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">CARPINTERIA</a> <a href="#">MONTECITO</a>	Montecito Water District	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">BOWMAN</a> <a href="#">ROSEWOOD</a>	Tehama County Flood Control and Water Conservation District	Jurisdictional Consolidation	Approve	NA	Request met regulatory criteria.
<a href="#">MILLVILLE</a> <a href="#">SOUTH BATTLE CREEK</a>	Tehama County Flood Control and Water Conservation District	Jurisdictional Consolidation	Approve	NA	Request met regulatory criteria.
<a href="#">TRACY</a>	Brentwood City Of	Jurisdictional Subdivision	Approve	NA	Request met regulatory criteria.
<a href="#">COLUSA</a> <a href="#">WEST BUTTE</a>	Colusa Groundwater Authority	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">LOS MOLINOS</a> <a href="#">VINA</a> <a href="#">DYE CREEK</a>	Tehama County Flood Control and Water Conservation District	Jurisdictional Consolidation	Approve	NA	Request met regulatory criteria.
<a href="#">WEST BUTTE</a> <a href="#">EAST BUTTE</a>	Reclamation District No. 1004	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">WEST BUTTE</a> <a href="#">EAST BUTTE</a>	Butte County Department of Water and Resource Conservation	Jurisdictional Internal Jurisdictional Consolidation	Approve	NA	Request met regulatory criteria.
<a href="#">EAST BUTTE</a> <a href="#">WYANDOTTE CREEK</a>	Butte County Department of Water and Resource Conservation	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">SUTTER</a> <a href="#">NORTH AMERICAN</a> <a href="#">EAST BUTTE</a>	Sutter County	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">SOUTH AMERICAN</a> <a href="#">EASTERN SAN JOAQUIN</a> <a href="#">SOLANO</a>	Northern Delta Groundwater Sustainability Agency	Jurisdictional Subdivision	Deny	345.2(d) - Failure to provide all required information.	Agency did not provide the required 3/4 support of local agencies and public water systems in affected basins.
<a href="#">SOUTH AMERICAN</a> <a href="#">COSUMNES</a>	Sloughhouse Resource Conservation District	Jurisdictional Internal	Deny	345.2(a) - May limit opportunity or likelihood of sustainable groundwater management.	Agency did not demonstrate proposed modification would result in improved groundwater management. Opposition to proposal by Sacramento Central Groundwater Authority and City of Sacramento.
<a href="#">SOLANO</a> <a href="#">YOLO</a>	Yolo Subbasin Groundwater Agency	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">SOLANO</a> <a href="#">TRACY</a>	Sacramento County Water Resources	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">EASTERN SAN JOAQUIN</a> <a href="#">TRACY</a>	Lathrop City Of	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">CHOWCHILLA</a>	County of Madera	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">CHOWCHILLA</a> <a href="#">DELTA-MENDOTA</a>	San Joaquin River Exchange Contractors Water Authority	Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">SHASTA VALLEY</a>	Siskiyou County Flood Control and Water Conservation District	Scientific External	Approve	NA	Request met regulatory criteria.
<a href="#">PASO ROBLES AREA</a>	Heritage Ranch Community Services District	Scientific External	Approve	NA	Request met regulatory criteria.
<a href="#">SANTA MARIA</a>	Santa Barbara County Water Agency	Scientific External	Deny	345.2(c) - Insufficient scientific evidence to support modification.	Agency did not provide adequate technical studies to support external boundaries match adjudication boundaries and did not consistently follow geologic features.

**2018 Basin Boundary Modifications - Draft Decisions**  
**November 29, 2018 (UPDATED January 14, 2019)**

Basin(s)/Subbasin(s)	Requesting Agency	Modification Type	Draft Decision	Basis for Denial	Notes
<a href="#">SANTA MARIA</a>	Santa Maria Basin Fringe Areas - County of San Luis Obispo Groundwater Sustainability Agency	Scientific External Scientific Internal	Approve Deny Portion (Ziegler Canyon)	345.2(c) - Insufficient scientific evidence to support modification.	Agency did not provide adequate technical studies to demonstrate the referenced fault and geologic contact significantly impede groundwater flow for the Ziegler Canyon area; remaining portions of request were approved.
<a href="#">CARPINTERIA</a>	Carpinteria Valley Water District	Scientific External	Approve	NA	Request met regulatory criteria.
<a href="#">ARROYO SANTA ROSA VALLEY</a>	Arroyo Santa Rosa Basin Groundwater Sustainability Agency	Scientific External	Approve	NA	Request met regulatory criteria.
<a href="#">SIERRA VALLEY</a>	Plumas County	Scientific External	Approve	NA	Request met regulatory criteria.
<a href="#">KINGS</a>	North Kings Groundwater Sustainability Agency	Scientific External	Approve	NA	Request met regulatory criteria.
<a href="#">KERN COUNTY</a>	West Kern Water District	Scientific External	Approve Deny Portion (Little Santa Maria Valley, QP with Anticlines, and QP at Little Santa Maria Valley)	345.2(c) - Insufficient scientific evidence to support modification.	Request to subdivide and create Little Santa Maria Valley as subbasin is not supported with sufficient scientific information. Agency did not provide adequate technical studies to demonstrate the referenced alluvial units (QP with Anticlines) do not represent aquifer or basin.
<a href="#">OWENS VALLEY</a>	Starlite Community Services District	Scientific External	Approve	NA	Request met regulatory criteria.
<a href="#">WARREN VALLEY</a>	Mojave Water Agency	Scientific Internal	Approve	NA	Request met regulatory criteria.
<a href="#">SAN TIMOTEO</a>	Southwest San Timoteo Groundwater Sustainability Agency	Scientific External	Approve	NA	Request met regulatory criteria.
<a href="#">SAN JACINTO</a>	Eastern Municipal Water District	Scientific External Scientific Internal	Approve Deny Portion (Lake Perris)	345.2(c) - Insufficient scientific evidence to support modification.	Agency did not provide adequate technical studies to demonstrate that area 6 (Lake Perris) does not represent basin material; remaining portions of request were approved.
<a href="#">SAN DIEGO RIVER VALLEY</a>	City of San Diego	Scientific External	Approve	NA	Request met regulatory criteria.
<a href="#">COASTAL PLAIN OF SAN DIEGO</a>	Sweetwater Authority	Scientific External	Deny	345.2(c) - Insufficient scientific evidence to support modification.	Agency did not provide adequate technical studies to demonstrate that the referenced area did not represent basin material.
<a href="#">LOS OSOS VALLEY</a>	San Luis Obispo County	Jurisdictional Subdivision Scientific External	Approve Deny Portion (Northern fringe)	345.2(c) - Insufficient scientific evidence to support modification.	Agency did not provide adequate technical studies to demonstrate that the referenced "Minor Fringe Exclusion Area" did not represent basin; remaining portions of request were approved.
<a href="#">OXNARD</a> <a href="#">MOUND</a> <a href="#">SANTA PAULA</a>	Mound Basin Groundwater Sustainability Agency	Scientific External Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">FILLMORE</a> <a href="#">PIRU</a> <a href="#">SANTA PAULA</a>	United Water Conservation District	Scientific External Scientific Internal Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">WYANDOTTE CREEK</a> <a href="#">NORTH AMERICAN</a> <a href="#">SUTTER</a> <a href="#">SOUTH YUBA</a> <a href="#">NORTH YUBA</a>	Yuba County Water Agency	Scientific External Jurisdictional Internal	Approve	NA	Request met regulatory criteria.
<a href="#">MADERA</a> <a href="#">KINGS</a>	Madera County	Scientific Internal Jurisdictional Internal	Approve	NA	Request met regulatory criteria.