## Appendix 4B

## Attachment 4<u>a</u>: X2 Results (CalSim 3)

## Attachment 4a: X2 Results (CalSim 3)

The following results of the CalSim 3 model are included for X2 position conditions for the following scenarios:

- Baseline Conditions (072623)
- Proposed Project (021624)

| Title       | <b>Model Parameter</b> | <b>Table Numbers</b>   | Figure Numbers     |
|-------------|------------------------|------------------------|--------------------|
| X2 Position | X2_PRV                 | 4B-4-1-1a to 4B-4-1-1c | 4B-4-1a to 4B-4-1r |

## Report formats:

- Monthly tables comparing two scenarios (exceedance values, long-term average, and average by water year type).
- Monthly pattern charts (long-term average and average by water year type) including all scenarios.
- Monthly exceedance charts (all months) including all scenarios.

Table 4B-4-1-1a. X2 Position, Baseline Conditions 072623, Monthly Distance (Km)

| Statistic                                   | Oct  | Nov  | Dec  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  |
|---|------|------|------|------|------|------|------|------|------|------|------|------|
| 10% Exceedance                              | 93.9 | 92.8 | 91.0 | 86.4 | 79.2 | 77.3 | 78.4 | 81.4 | 85.4 | 89.1 | 91.5 | 92.7 |
| 20% Exceedance                              | 92.0 | 91.9 | 89.8 | 83.9 | 74.3 | 71.8 | 74.7 | 78.4 | 82.1 | 85.6 | 88.9 | 91.0 |
| 30% Exceedance                              | 91.5 | 90.8 | 88.2 | 80.8 | 68.3 | 65.9 | 71.0 | 76.7 | 81.0 | 85.1 | 88.1 | 90.3 |
| 40% Exceedance                              | 90.1 | 89.7 | 86.9 | 72.8 | 65.6 | 64.6 | 67.3 | 72.2 | 80.4 | 83.4 | 86.4 | 88.9 |
| 50% Exceedance                              | 88.7 | 86.4 | 84.0 | 70.0 | 61.5 | 62.1 | 64.5 | 68.2 | 77.5 | 82.6 | 85.9 | 87.7 |
| 60% Exceedance                              | 80.1 | 85.2 | 78.5 | 64.5 | 58.2 | 58.6 | 61.7 | 66.1 | 75.6 | 80.1 | 84.1 | 80.1 |
| 70% Exceedance                              | 80.0 | 84.2 | 69.2 | 59.3 | 54.7 | 55.8 | 60.2 | 63.1 | 71.5 | 79.4 | 82.8 | 80.0 |
| 80% Exceedance                              | 80.0 | 82.4 | 63.1 | 54.3 | 52.8 | 53.3 | 56.6 | 58.8 | 63.8 | 74.9 | 82.2 | 79.7 |
| 90% Exceedance                              | 79.9 | 76.0 | 55.8 | 52.6 | 51.8 | 52.1 | 53.2 | 55.4 | 59.2 | 73.3 | 81.0 | 79.6 |
| Full Simulation Period Average <sup>a</sup> | 85.8 | 85.3 | 78.1 | 69.4 | 63.6 | 62.9 | 65.5 | 68.8 | 75.0 | 81.2 | 85.3 | 85.5 |
| Wet Water Years (30%)                       | 83.1 | 80.0 | 64.8 | 57.0 | 53.6 | 54.5 | 56.7 | 59.2 | 64.9 | 74.0 | 80.1 | 78.3 |
| Above Normal Water Years (11%)              | 86.4 | 86.8 | 79.6 | 61.7 | 56.8 | 56.4 | 59.9 | 63.9 | 71.2 | 78.4 | 83.1 | 79.9 |
| Below Normal Water Years (21%)              | 85.1 | 85.2 | 82.1 | 72.4 | 64.7 | 62.7 | 64.9 | 68.4 | 76.6 | 82.3 | 85.9 | 88.2 |
| Dry Water Years (22%)                       | 86.2 | 87.5 | 84.4 | 78.7 | 70.3 | 68.4 | 71.6 | 75.4 | 81.1 | 85.4 | 88.3 | 90.4 |
| Critical Water Years (16%)                  | 90.9 | 91.6 | 87.8 | 81.4 | 76.4 | 75.9 | 78.2 | 82.0 | 85.9 | 89.3 | 91.7 | 92.9 |

Table 4B-4-1-1b. X2 Position, Proposed Project 021624, Monthly Distance (Km)

| Statistic                                   | Oct  | Nov  | Dec  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  |
|---|------|------|------|------|------|------|------|------|------|------|------|------|
| 10% Exceedance                              | 93.9 | 92.9 | 91.2 | 86.1 | 78.3 | 76.8 | 77.8 | 81.5 | 85.6 | 89.2 | 91.6 | 92.8 |
| 20% Exceedance                              | 92.1 | 91.8 | 90.0 | 84.3 | 74.0 | 71.6 | 74.6 | 78.3 | 82.1 | 85.7 | 89.1 | 91.2 |
| 30% Exceedance                              | 91.5 | 90.5 | 88.2 | 80.5 | 68.2 | 65.6 | 70.7 | 76.7 | 81.1 | 85.2 | 88.3 | 90.6 |
| 40% Exceedance                              | 90.3 | 89.5 | 87.0 | 72.7 | 65.4 | 64.2 | 67.2 | 72.7 | 80.5 | 83.1 | 86.1 | 89.3 |
| 50% Exceedance                              | 89.1 | 86.3 | 83.9 | 69.8 | 61.5 | 62.0 | 64.5 | 69.5 | 77.9 | 82.0 | 85.5 | 88.0 |
| 60% Exceedance                              | 80.1 | 85.1 | 78.9 | 64.4 | 58.2 | 58.6 | 62.0 | 67.2 | 75.7 | 80.2 | 83.5 | 80.1 |
| 70% Exceedance                              | 80.0 | 84.0 | 69.3 | 59.3 | 54.7 | 55.9 | 60.2 | 63.7 | 71.4 | 78.7 | 82.8 | 80.0 |
| 80% Exceedance                              | 80.0 | 82.4 | 63.1 | 54.3 | 52.8 | 53.3 | 56.7 | 59.1 | 63.6 | 74.8 | 82.4 | 79.7 |
| 90% Exceedance                              | 79.9 | 76.2 | 55.8 | 52.5 | 51.8 | 52.1 | 53.2 | 55.7 | 59.3 | 72.6 | 81.8 | 79.7 |
| Full Simulation Period Average <sup>a</sup> | 85.9 | 85.3 | 78.1 | 69.3 | 63.3 | 62.7 | 65.5 | 69.3 | 75.0 | 80.9 | 85.4 | 85.7 |
| Wet Water Years (30%)                       | 83.3 | 80.0 | 64.9 | 57.0 | 53.6 | 54.5 | 56.9 | 59.8 | 64.9 | 73.9 | 80.5 | 78.6 |
| Above Normal Water Years (11%)              | 86.5 | 86.5 | 80.0 | 61.8 | 56.7 | 56.3 | 60.0 | 64.4 | 71.2 | 77.3 | 82.7 | 79.8 |
| Below Normal Water Years (21%)              | 85.1 | 85.2 | 82.0 | 72.2 | 64.5 | 62.3 | 64.7 | 69.1 | 76.7 | 81.7 | 85.5 | 88.3 |
| Dry Water Years (22%)                       | 86.2 | 87.5 | 84.5 | 78.7 | 70.0 | 67.8 | 71.2 | 75.4 | 81.1 | 85.4 | 88.4 | 90.7 |
| Critical Water Years (16%)                  | 91.0 | 91.5 | 87.7 | 80.8 | 75.5 | 75.7 | 78.4 | 82.2 | 86.1 | 89.3 | 91.8 | 93.0 |

Table 4B-4-1-1c. X2 Position, Proposed Project 021624 minus Baseline Conditions 072623, Monthly Distance (Km)

| Statistic                                   | Oct  | Nov  | Dec  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep |
|---|------|------|------|------|------|------|------|------|------|------|------|-----|
| 10% Exceedance                              | 0.0  | 0.1  | 0.2  | -0.2 | -0.9 | -0.5 | -0.6 | 0.1  | 0.3  | 0.1  | 0.1  | 0.0 |
| 20% Exceedance                              | 0.1  | -0.2 | 0.2  | 0.4  | -0.3 | -0.1 | 0.0  | -0.1 | 0.0  | 0.1  | 0.2  | 0.2 |
| 30% Exceedance                              | -0.1 | -0.3 | -0.1 | -0.3 | -0.1 | -0.3 | -0.3 | 0.1  | 0.0  | 0.1  | 0.2  | 0.3 |
| 40% Exceedance                              | 0.2  | -0.1 | 0.1  | -0.1 | -0.3 | -0.3 | -0.1 | 0.4  | 0.1  | -0.3 | -0.3 | 0.4 |
| 50% Exceedance                              | 0.5  | -0.1 | -0.2 | -0.1 | -0.1 | -0.1 | 0.0  | 1.3  | 0.4  | -0.5 | -0.4 | 0.2 |
| 60% Exceedance                              | 0.0  | -0.2 | 0.4  | -0.1 | 0.0  | 0.0  | 0.3  | 1.1  | 0.1  | 0.1  | -0.5 | 0.0 |
| 70% Exceedance                              | 0.0  | -0.2 | 0.1  | -0.1 | 0.0  | 0.1  | 0.0  | 0.6  | -0.1 | -0.7 | 0.1  | 0.0 |
| 80% Exceedance                              | 0.0  | 0.0  | -0.1 | 0.0  | 0.0  | 0.0  | 0.1  | 0.3  | -0.2 | -0.1 | 0.2  | 0.0 |
| 90% Exceedance                              | 0.0  | 0.2  | 0.0  | 0.0  | 0.0  | 0.0  | -0.1 | 0.3  | 0.1  | -0.7 | 0.8  | 0.0 |
| Full Simulation Period Average <sup>a</sup> | 0.1  | 0.0  | 0.1  | -0.1 | -0.3 | -0.3 | 0.0  | 0.4  | 0.1  | -0.3 | 0.0  | 0.2 |
| Wet Water Years (30%)                       | 0.2  | 0.0  | 0.1  | 0.0  | 0.0  | 0.0  | 0.2  | 0.6  | 0.0  | 0.0  | 0.4  | 0.3 |
| Above Normal Water Years (11%)              | 0.2  | -0.3 | 0.4  | 0.1  | 0.0  | -0.1 | 0.1  | 0.6  | 0.0  | -1.1 | -0.4 | 0.0 |
| Below Normal Water Years (21%)              | 0.0  | 0.0  | 0.0  | -0.2 | -0.2 | -0.4 | -0.1 | 0.7  | 0.1  | -0.6 | -0.4 | 0.2 |
| Dry Water Years (22%)                       | 0.0  | -0.1 | 0.0  | 0.0  | -0.3 | -0.6 | -0.3 | -0.1 | 0.0  | 0.0  | 0.2  | 0.3 |
| Critical Water Years (16%)                  | 0.1  | -0.1 | -0.1 | -0.6 | -1.0 | -0.2 | 0.1  | 0.2  | 0.1  | 0.1  | 0.1  | 0.0 |


<sup>&</sup>lt;sup>a</sup> Based on the 100-year simulation period.

<sup>\*</sup> All scenarios are simulated at current climate condition and 0 cm sea level rise.

<sup>\*</sup> Water Year Types defined by the Sacramento Valley 40-30-30 Index Water Year Hydrologic Classification (SWRCB D-1641, 1999).

<sup>\*</sup> Water Year Types results are displayed with water year - year type sorting.

Figure 4B-4-1a. X2 Position, Long-Term Average Distance




<sup>\*</sup>As defined by the Sacramento Valley 40-30-30 Index Water Year Hydrologic Classification (SWRCB D-1641, 1999).

<sup>\*</sup>These results are displayed with water year - year type sorting.

<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1b. X2 Position, Wet Year Average Distance




<sup>\*</sup>As defined by the Sacramento Valley 40-30-30 Index Water Year Hydrologic Classification (SWRCB D-1641, 1999).

<sup>\*</sup>These results are displayed with water year - year type sorting.

<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1c. X2 Position, Above Normal Year Average Distance




<sup>\*</sup>As defined by the Sacramento Valley 40-30-30 Index Water Year Hydrologic Classification (SWRCB D-1641, 1999).

<sup>\*</sup>These results are displayed with water year - year type sorting.

<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1d. X2 Position, Below Normal Year Average Distance




<sup>\*</sup>As defined by the Sacramento Valley 40-30-30 Index Water Year Hydrologic Classification (SWRCB D-1641, 1999).

<sup>\*</sup>These results are displayed with water year - year type sorting.

<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1e. X2 Position, Dry Year Average Distance




<sup>\*</sup>As defined by the Sacramento Valley 40-30-30 Index Water Year Hydrologic Classification (SWRCB D-1641, 1999).

<sup>\*</sup>These results are displayed with water year - year type sorting.

<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1f. X2 Position, Critical Year Average Distance




<sup>\*</sup>As defined by the Sacramento Valley 40-30-30 Index Water Year Hydrologic Classification (SWRCB D-1641, 1999).

<sup>\*</sup>These results are displayed with water year - year type sorting.


<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1g. X2 Position, October




<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1h. X2 Position, November




<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1i. X2 Position, December




<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1j. X2 Position, January




<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1k. X2 Position, February




<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1I. X2 Position, March




<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1m. X2 Position, April




<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1n. X2 Position, May




<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1o. X2 Position, June




<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1p. X2 Position, July




<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1q. X2 Position, August



<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.

Figure 4B-4-1r. X2 Position, September



<sup>\*</sup>All scenarios are simulated at current climate condition and 0 cm sea level rise.